



# Colegio del arte mayor de la seda

Culture — Museums / Exhibition rooms



## Address

Carrer de l'Hospital, 7 46001  
Valencia, Valencia/València (Co  
munitat Valenciana)  
Spain

## Contact

Tel 963 51 19 51  
comunicacion@museodelaseda  
valencia.com  
[http://www.museodelasedavale  
ncia.com/](http://www.museodelasedavalencia.com/)

## Created by

Andrés Díez 17/12/2016

## Last modification by

Miguel Blasco Giménez  
20/12/2016




Information about the accessibility of this tourist resource has been provided by users

## General information

Edificio del siglo XV, ubicado en el barrio de "Velluters" en el casco antiguo de Valencia, centrado en la industria de la seda. Próximo a la Plaza del ayuntamiento. Con una excelente comunicación de transporte público. Sus instalaciones cuentan con aseo adaptado.

## Entrance



Entrance: No slopes

✓ Name of the tourist resource clearly visible and legible

The entranceway analysed is: The main one

Width of the entrance door: Greater than or equal to 78 cm

## Customer Service Area

- ✓ Customer service desk

### Characteristics



- ✓ Near the entrance
- ✓ Height suitably adapted for wheelchair users

## Inside circulation



- Wheelchair circulation: Total
- Adequate lighting: Yes
- Signposting: Yes
- ✓ Establishment with more than one floor

## Vertical itinerary

Transit between floors via: Lift / lifts

### Lift information

Dimensions of the cubicle: Big

✓ With audio information

✓ With visual information





Lift buttons: Highly embossed, in braille, of contrasting colour

✓ Lift buttons at a suitable height for wheelchair users

## Adapted toilet in common areas

✓ Toilet suitable for PRM

### Characteristics



Access without changes in floor level: Yes

Door width: Greater than or equal to 78 cm

Door opening: Sliding

Free turning space ? 150 cm of diameter: Yes

Clear space to transfer to the toilet: Yes

### Characteristics

The space is at least 80 cm or greater: Left-hand side, right-hand side

Height of the toilet seat: Standard (between 40 and 45 cm)

It has support bar(s): Yes

### Information

Toilet grab bars: Left-hand side, right-hand side

The bars on the left-hand side are: Folding



The bars on the right-hand side are: Folding

Sink: Tap difficult to use, with pedestal / obstacle

## Services and amenities

Adapted visits or activities for people with disabilities: Yes

Magnetic induction loop: No


- ✓ Subtitled videos / films
- ✓ Documentation with information about the tourist resource
- ✓ Customer service staff

### Staff training

Personal trained in attention to people with disabilities : Yes

Personal with knowledge of Sign Language: Yes

## Outside areas



Sidewalks: Without obstacles

Uniform and anti-slip pavement: Yes