



# Hotel Mira Paiva

Accommodation — Hotels / Apartment hotels / Hostels / Guesthouses



## 📍 Street

Vale do Forno, 3650-200  
Vila Nova De Paiva, Alhais e Fráguas, Vila  
Nova De Paiva (Viseu)  
Portugal

## ☎ Contact

Tel +351 232 609 140  
geral@mirapaiva.pt  
<http://www.mirapaiva.pt/>

## 🔧 Created by

Técnico AP - IB 20/11/2020

## 🔧 Last modification by

Técnico AP - IB 24/11/2020



The accessibility of this tourism resource has been analyzed by experts



## General Information

O Hotel Mira Paiva, situa-se numa zona de paisagem montanhosa, povoada por uma vegetação, onde predomina o pinheiro bravo e o carvalho. Os Quartos do Hotel Mira Paiva, são espaçosos e confortáveis, proporcionando-lhe a tranquilidade, conforto e intimidade que a sua estadia merece. O restaurante está apto para servir as refeições quotidianas e, em ocasiões especiais e outros eventos, como casamentos, baptizados, aniversários, festas de confraternização, transformar-se e servir banquetes, para um grande número de pessoas.



## Customer service and other key information

### General information

The name of the tourism resource is easy to see and read: **yes**

There is free access to the Internet in communal areas. A password might be required: **yes**

You can enter with an assistance dog: **yes**

Customer service staff have undertaken courses on the needs of people with disabilities: **no**

A member of the customer service staff knows sign language: **no**

There are warning signals in case of danger or in an emergency: **yes**

Warning and emergency signals: **audible alarms**

There is room service, for example, food delivered to the room: **no**

There is a Web page about this tourism resource: **yes**



## Cognitive accessibility

The rooms have a number on the door.

There are no dark areas along the route that might frighten people.

The lift buttons are easy to see with assistance for the visually impaired such as Braille, alto relief or colours.

There are signs on the stairs, at lift exits and on all floors to help find the rooms.

It is easy to use the phone in the room to make outside calls from the spa.

It is easy to find the way to the bathroom facilities and other services accessible by all visitors. There is signage.

The bathroom facilities are located on the: Piso 0 - 1 floor(s).

It is easy to find the way to the bathroom facilities for men and women. At the entrance there are signs to distinguish them.

It is easy to find the way to the disabled bathroom facilities. They have a sign on the door.



## Main accessibility

### Private parking space

#### Interior access

It is accessed: **via a dropped curb**

#### General information

The establishment has its own parking: **yes, off site**

The parking has spaces reserved for PRM: **yes**

Number of parking spaces reserved for PRM: **2**

#### Private parking zone

##### Parking

The route from the reserved parking space to the establishment is signposted: **no**

It is located near the establishment: **yes**

Type of parking: **outside**

Type of vehicle access: **open, with no entry control**

##### Reserved space

The reserved spaces are on a flat surface: **horizontal**

Total width of the reserved space: **230 cm**

Total length of the reserved space: **432 cm**

Reserved spaces are shown by the ISA (International Symbol of Access) logo on the ground: **no**

The reserved space is shown by a vertical ISA (International Sign for Access) logo: **yes**

##### Characteristics of the flooring

The flooring is uniform: **no**

The flooring is in good shape: **yes**

### Surroundings

#### General information

Type of access road: **vehicular with a pavement**

Incline of the access road: **slight slope**

### Establishment access

#### General information

The entrance reviewed is: **the main one**

The entrance is flat: **no**

It is accessed: **via a dropped curb**

## Entrance door

The space in front of the door is: **horizontal**

The space behind the door is: **horizontal**

Turning space diameter in front of the door: **435 cm**

Turning space diameter behind the door: **113 cm**

Type of door: **sliding door**

Number of leaves: **two leaves**

Type of opening: **sliding, automatic**

Doorway width for all door leaves: **125 cm**

Door material: **glass**

The glass door: **there are warning strips but they are only mildly contrasting**

There is an interphone: **yes, with audio**

Height of the call button: **140 cm**

There are one or more floor mats: **yes**

There is a connecting door after the main door: **with different characteristics**

Notes: **junto à porta existe um ressalto de 2cm.**

## Connecting door

The space before the door is: **horizontal**

The space behind the door is: **horizontal**

Turning space diameter in front of the door: **113 cm**

Turning space diameter behind the door: **300 cm**

Type of door: **swing door**

Number of single-leaf doors: **two**

Type of opening: **inward**

Doorway width, per single-leaf door: **57 cm**

Doorway width for all door leaves: **114 cm**

Door material: **glass**

The door is a different colour to the wall: **no**

Type of door handle: **vertical door handle**

Average height of the handle: **100 cm**

The door handle requires a twist of the wrist: **no**

The door handle is a different colour to that of the door: **yes**

## Customer service area

### Interior access

It is accessed: **flat**

### Interior room

Clearance width: **300 cm**

Minimum clearance width at narrow points: **300 cm**

Turning circle diameter: **300 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

The floor is carpeted: **no**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

The lighting is uniform: **yes**

The lighting is adequate: **yes**

## Features

Along the route, there is at least one connecting door: **no**

There is a customer service desk: **yes**

### Customer service desk

The customer service desk is on two levels: **no**

Height of the non-adapted desk: **106 cm**

The desk is fitted with a magnetic induction loop: **no**

## Vertical route

The vertical route is taken: **via a lift**

### Lift

#### General information

Indicate the floors it connects: **-1 - 2**

Indicate which rooms can be accessed from this lift: **quartos, Restaurante, Recepção, Instalações Sanitárias**

The lift is located on an accessible floor with an accessible route: **yes**

The lift is panoramic: **no**

#### Approach area of the lift

Turning space clearance in front of the lift car: **210 cm**

On the floor in front of the lift, there is a warning strip in a different colour and texture: **no**

Height of the call buttons: **120 cm**

The buttons are a different colour: **yes**

The buttons have alto relief text: **yes**

The buttons have text in Braille: **yes**

#### Lift door

Type of door: **sliding door**

Type of opening: **automatic**

Door opening width: **80 cm**

Door material: **opaque**

The door is a different colour to the wall: **yes**

### Lift car

Usable width of the lift car: **104 cm**

Useful depth of the lift car: **140 cm**

The lift car floor is level with the floor of the landing: **yes**

Maximum height of the lift car buttons: **130 cm**

The buttons are a different colour: **yes**

The buttons have alto relief text: **yes**

The buttons have text in Braille: **yes**

There are handrails: **yes**

Height of the handrail: **91 cm**

In the lift car there is a mirror opposite the lift door: **yes**

### Usability and safety

Visual cues to indicate the floor stops on and the direction of the lift: **both inside and outside the lift**

There is an alarm system in case of an emergency: **yes**

## Vertical route

The vertical route is taken: **via stairs**

### Stairs

#### General information

Floor where the stairs start: **piso 0**

Floor where the stairs stop: **piso 2**

Rooms the stairs connect: **quartos, Restaurante, Recepção, Instalações Sanitárias**

#### Characteristics

Useful width of the steps: **132 cm**

The stairs have handrails: **yes, on one side**

At the bottom and/or top of the stairs there is a strip of flooring in a contrasting colour and texture: **no**

#### Handrails and railings

There are double handrails: **no**

Height of the top handrail: **105 cm**

The handrail extends past the ends: **no**

The handrail is continuous, even along the intermediate landings: **yes**

The structure of the handrail allows the hand to be in contact at all times: **yes**

### Steps

All the steps have the same height: **yes**

Maximum height of the steps: **17 cm**

All the steps have the same depth: **yes**

Minimum depth of the tread: **33 cm**

Type of riser: **with risers**

The riser is a different colour to the tread: **no**

The steps have nosing: **yes**

Both sides of the stairs are fitted with protective skirting: **yes, on one side**

The edges of the steps are clearly marked: **yes, with a non-slip strip**

#### Other information

The stair lighting is uniform: **yes**

The stair lighting is adequate: **yes**

The space beneath the stairs has a height of less than 220 cm: **no**

## Adapted toilet in common area

### General information

Total number of adapted cubicles at the establishment: **1**

Floors on which they are located: **piso 0**

Floor on which the toilet cubicle reviewed is located: **piso 0**

Type of adapted cubicle reviewed: **stand-alone cubicle for both sexes**

### Stand-alone cubicle

#### Signs

Adapted toilets are shown by the International Symbol of Access (ISA): **yes**

#### Characteristics

##### Interior access

It is accessed: **flat**

##### Bathroom cubicle door

The space before the door is: **horizontal**

The space behind the door is: **horizontal**

Turning circle diameter before the door: **215 cm**

Turning circle diameter behind the door: **130 cm**

Type of door: **swing door**

Type of opening: **outward**

Doorway width, per single-leaf door: **78 cm**

The door is a different colour to the wall: **yes**

Door material: **opaque**

The door handle requires a twist of the wrist: **no**

The door handle is a different colour to that of the door: **yes**

The door can be unlocked from the outside: **yes**

The door is fitted with a return spring: **no**

#### Interior room

Clearance width: **130 cm**

Turning circle diameter: **130 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

The floor is carpeted: **no**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

The lighting is uniform: **yes**

The lighting is adequate: **yes**

#### Bathroom

There is some kind of alarm system in place for calling for assistance that can be activated from inside the bathroom: **yes**

Type of lighting: **switch**

Maximum height of the light switch, towel and clothes racks: **83 cm**

The floors and walls are different colours: **yes**

Sanitary equipment and walls are a different colour: **no**

#### Sink

Height in relation to the floor of the upper edge of the sink: **91 cm**

Clearance height beneath the sink: **75 cm**

Clearance depth beneath the sink: **63 cm**

The sink has elements that obstruct a frontal approach: **no**

Type of tap: **single lever**

Height of the lower edge of the mirror: **99 cm**

The mirror slopes towards the sink: **no**

There are fixings at a height of between 70 cm and 1.2 m: **yes**

The sink analysed is inside the adapted cubicle: **yes**

There is a height-adjustable sink: **yes**

#### Toilet in communal areas

Right-hand side transfer space (width): **130 cm**

Frontal transfer space (depth): **90 cm**

Transfer to the toilet is carried out: **from the side**

Lateral transfer spaces with a width  $\geq$  80 cm: **1**

Height of the toilet seat: **45 cm**

Height of the flush mechanism: **100 cm**

Type of flush mechanism: **push button on wall**

Fitted with grab bars: **yes**

#### Toilet grab bars

Grab bars: **on both sides**

Type of grab bar on the right hand side: **folding**

Type of grab bar on the left hand side: **folding**

There is a fixed grab bar on the transfer side: **no**

Maximum height of right-hand side grab bar: **78 cm**

Minimum height of the right-hand side grab bar: **61 cm**

Maximum height of the left-hand side grab bar: **78 cm**

Minimum height of the left-hand side grab bar: **61 cm**

Distance between grab bars: **60 cm**

## Adapted Room

### General information

There are adapted rooms: **yes**

No. of adapted rooms at the establishment: **1**

There is an adapted room connecting with another room: **no**

Floor of the room reviewed: **1**

Number or name of the room reviewed: **105**

The room has an en suite bathroom: **yes**

### In room bathroom

#### Interior access

It is accessed: **flat**

#### Bathroom cubicle door

The space before the door is: **horizontal**

The space behind the door is: **horizontal**

Turning circle diameter behind the door: **120 cm**

Type of door: **swing door**

Type of opening: **outward**

Doorway width, per single-leaf door: **68 cm**

The door is a different colour to the wall: **yes**

Door material: **opaque**

The door handle requires a twist of the wrist: **no**

The door handle is a different colour to that of the door: **yes**

The door is fitted with a return spring: **no**

#### Interior room

Clearance width: **120 cm**

Minimum clearance width at narrow points: **120 cm**

Turning circle diameter: **130 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

The lighting is uniform: **yes**

The lighting is adequate: **yes**

### Bathroom

There is some kind of alarm system in place for calling for assistance that can be activated from inside the bathroom: **yes**

Type of lighting: **switch**

Maximum height of the light switch, towel and clothes racks: **81 cm**

The floors and walls are different colours: **no**

There is a shower tray: **yes**

Notes: **altura máxima dos toalheiros - 183cm Altura mínima dos toalheiros - 100cm**

### Shower

Dimensions of the shower: **100x100**

The shower is level with the floor: **yes**

There is a seat: **yes**

There are elements that difficult the transfer to the shower: **no**

Taps are located at a distance of  $\leq 60$  cm from the seat: **no**

Type of tap: **single lever**

The shower head is height adjustable: **no**

There are grab bars: **yes**

### Shower seat

The seat measures a minimum of 40x40 cm: **yes**

Height of the seat: **43 cm**

The seat has a backrest: **yes**

It is a folding seat: **yes**

Transfer space length: **130 cm**

Transfer space width: **110 cm**

The seat has a lateral transfer space: **yes**

### Bath / shower grab bars

Number of grab bars: **1**

Type of grab bar 1: **fixed**

Maximum height of grab bar 1: **52 cm**

### Characteristics of the flooring

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

### Sink

Height in relation to the floor of the upper edge of the sink: **84 cm**

Clearance height beneath the sink: **68 cm**

Clearance depth beneath the sink: **61 cm**

The sink has elements that obstruct a frontal approach: **no**

Type of tap: **single lever**

Height of the lower edge of the mirror: **94 cm**

The mirror slopes towards the sink: **no**

There are fixings at a height of between 70 cm and 1.2 m: **no**

The sink analysed is inside the adapted cubicle: **yes**

There is a height-adjustable sink: **yes**

#### Toilet Accom.

Transfer space on the left hand side: **200 cm**

Frontal transfer space: **120 cm**

Transfer to the toilet is carried out: **from the front and side**

Lateral transfer spaces with a width  $\geq$  80 cm: **1**

Height of the toilet seat: **45 cm**

Height of the flush mechanism: **100 cm**

Type of flush mechanism: **push button on wall**

Fitted with grab bars: **yes**

Toilet next to the shower: **yes**

#### Toilet grab bars

Grab bars: **on both sides**

Type of grab bar on the right hand side: **folding**

Type of grab bar on the left hand side: **folding**

Maximum height of right-hand side grab bar: **75 cm**

Minimum height of the right-hand side grab bar: **60 cm**

Maximum height of the left-hand side grab bar: **75 cm**

Minimum height of the left-hand side grab bar: **60 cm**

Distance between grab bars: **60 cm**

#### Interior access

It is accessed: **flat**

#### Connecting door

The space before the door is: **horizontal**

The space behind the door is: **horizontal**

Turning space diameter in front of the door: **236 cm**

Turning space diameter behind the door: **97 cm**

Type of door: **swing door**

Number of single-leaf doors: **one**

Type of opening: **inward**

Doorway width, per single-leaf door: **75 cm**

Door material: **opaque**

The door is a different colour to the wall: **yes**

Type of door handle: **horizontal door handle**

Average height of the handle: **102 cm**

The door handle requires a twist of the wrist: **no**

The door handle is a different colour to that of the door: **yes**

Type of lock: **with a swipe card**

The lock mechanism requires a twist of the wrist: **no**

The door can be unlocked from the outside: **yes**

The door is fitted with a return spring: **no**

There are one or more floor mats: **no**

### Interior room

Clearance width: **138 cm**

Minimum clearance width at narrow points: **99 cm**

Turning circle diameter: **140 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

The floor is carpeted: **no**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

The lighting is uniform: **no**

The lighting is adequate: **no**

### Room

Lateral clearance width when approaching bed from the left hand side: **138 cm**

Lateral clearance width when approaching bed is  $\geq 90$  cm: **on the left**

Type of bed: **2 singles**

Height of the bed: **49 cm**

Clearance height beneath the bed: **0 cm**

### Mechanisms

Maximum height of the mechanisms (handles to open windows, switches, sockets and temperature control): **109 cm**

There is a light switch and a socket next to the bed: **yes**

There is a remote control for regulating the temperature: **no**

### Wardrobe

Type of wardrobe doors: **sliding 90° folding 180° folding with a curtain**

Wardrobe door handles: **easy to open**

Maximum height of the shelves and drawers: **59 cm**

Shelves and drawers are at a height of between 40 cm and 1.2 m: **yes**

Type of clothes rail: **fixed height**

Maximum height of the clothes rail: **204 cm**

The clothes rail is at a height of between 40 cm and 1.2 m: **no**

## Furniture

Type of furniture: **tables**

### Table

Height of the table: **80 cm**

Clearance height beneath the table: **61 cm**

Clearance width beneath the table: **99 cm**

Clearance depth beneath the table: **58 cm**

## Food and beverage

### General information

Name of the bar or restaurant reviewed: **restaurante**

Floor on which it is located: **piso 0**

Specify the type of bar or restaurant reviewed: **restaurant**

Gluten-free menu available: **upon request**

Vegetarian menu available: **upon request**

Dishes available for people with diabetes: **upon request**

### Interior access

It is accessed: **flat**

### Connecting door

The space before the door is: **horizontal**

The space behind the door is: **horizontal**

Turning space diameter in front of the door: **150 cm**

Turning space diameter behind the door: **412 cm**

Type of door: **swing door**

Number of single-leaf doors: **two**

Type of opening: **inward**

Door material: **partially glazed**

The door is a different colour to the wall: **yes**

### Interior room

Clearance width: **124 cm**

Turning circle diameter: **412 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

The floor is carpeted: **no**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

The lighting is uniform: **yes**

The lighting is adequate: **yes**

## Furniture

Type of furniture: **tables, chairs**

Notes: **balcão - 114cm**

### Table

Height of the table: **79 cm**

Clearance height beneath the table: **66 cm**

Clearance width beneath the table: **55 cm**

There are round tables: **no**

### Chair

Height of the seat: **46 cm**

Depth of the seat: **36 cm**

There is a backrest: **yes**

There are armrests: **no**

Is there high chairs for children: **yes**

## Menu

Menu available in Braille: **no**

The menu has photos of the dishes: **no**

The menu uses an easy-to-read font such as Arial: **no**

The menu uses a large font size: **yes**

The menu texts are a different colour to their background: **yes**

Table service available: **yes**

## Swimming pool

### Interior access

It is accessed: **via a ramp**

Notes: **o acesso até à zona das piscinas deverá fazer-se de carro para pessoas com mobilidade reduzida (pavimento empedrado e rua muito inclinada). Antes da rampa existe um degrau em crescendo entre 5 e 13cm.**

### Ramp

Rooms / spaces linked by the ramp: **piscina**

Number of sections: **1**

The space beneath the ramp has a height of less than 220 cm: **no**

### Characteristics of the section

Length of the section: **25 cm**

Average longitudinal incline (%): **19**

Type of section: **not accessible**

Average transversal incline of the section: **<= 2%**

The usable width of the section: **104 cm**

The sections have horizontal landings: **does not apply, the ramp only have 1 section.**

#### Characteristics of the flooring

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

### Connecting door

Type of door: **doorway**

### Interior room

Turning circle diameter: **150 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

### General information

Type of swimming pool: **outdoor**

### Swimming pool vase

The flooring around the perimeter of the swimming pool has a different texture: **no**

The flooring around the perimeter of the swimming pool is a different colour: **no**

The pool can be accessed via: **stairs**

Type of pool crane: **none**

The stairs have handrails on both sides: **no**

### Services and Equipments at Swimming Facilities

Amphibious chairs: **no**

Sun loungers: **yes**

Sun shades: **yes**

## Swimming pool

### Interior access

It is accessed: **via a ramp**

Notes: **o acesso até à zona das piscinas deverá fazer-se de carro para pessoas com mobilidade reduzida (pavimento empedrado e rua muito inclinada). Antes da rampa existe um degrau em crescendo entre 5 e 13cm.**

### Ramp

Rooms / spaces linked by the ramp: **piscina**

Number of sections: **1**

The space beneath the ramp has a height of less than 220 cm: **no**

#### Characteristics of the section

Length of the section: **25 cm**

Average longitudinal incline (%): **19**

Type of section: **not accessible**

Average transversal incline of the section: **<= 2%**

The usable width of the section: **104 cm**

The sections have horizontal landings: **does not apply, the ramp only have 1 section.**

#### Characteristics of the flooring

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

#### Connecting door

Type of door: **doorway**

#### Interior room

Turning circle diameter: **150 cm**

The flooring is uniform: **yes**

The flooring is in good shape: **yes**

There are overhanging elements at a height of under 2.20 m that do not continue down to the ground: **no**

#### General information

Type of swimming pool: **outdoor**

#### Swimming pool vase

The flooring around the perimeter of the swimming pool has a different texture: **no**

The flooring around the perimeter of the swimming pool is a different colour: **no**

The pool can be accessed via: **stairs**

Type of pool crane: **none**

The stairs have handrails on both sides: **no**

#### Services and Equipments at Swimming Facilities

Amphibious chairs: **no**

Sun loungers: **yes**

Sun shades: **yes**